



BALAMURUGAN SIVAJI

23 HC Kullappuram Lane Andipatti Theni District
Tamilnadu 625512

+919944933329 | sivajibalamurugan@gmail.com

EXPERIENCE

- **Oxy Flow Controls HPL Plant West Bengal India**

26/07/2021 - 30/08/2021

Control Valve Technician

To service all types of control valves like fisher masonilan etc. Globe plug and double seat valve and mov type ball valve and manual type gate globe and other type of valves. Valves are dismantled from plant and come to workshop. We do hydro test standard FCI 70-2 as per class and the leak as per cv of valve and as per supervisor advice mark and dismantle valve and clean properly and check any damage and seat and disc or plug or gate etc if need machining send otherwise lap properly and blue mark contact and replace gasket oring packing etc and assemble and actuator service change the diaphragm and oring and do actuator leak test and valve hydro test.

- **ADNOC Sour Gas HQ Stork A Flour Company**

17/01/2021 - 31/03/2021

Valve Technician

To service all types of PSV PRV Pilot and Bellow Conventional type and open bonnet Valve once come workshop we do are pre testing for standard API 527 any leakage after dismantling and do lapping dis and nozzle. Lapping paste use depend on scratches and damages we use lapping paste 180 280 400 600 800 1000 1200 and finally use diamond paste and after assemble. And also service all type of control valve and specially for fisher valve once valve comes workshop we do pre test for standard FCI 70-2 as per class any leakage after dismantling and gauge seat any damage need to machining or change new depend on damage and scratches after we assemble use new packing and gasket and finally we do testing and i know single acting double acting actuator servicing.

- **Oxy Flow Controls Mathura Refinery Uttar Pradesh India**

05/12/2019 - 07/01/2020

Control Valve Technician

To service all types of control valves like fisher masonilan etc. Globe plug and double seat valve and mov type ball valve and manual type gate globe and other type of valves. Valves are dismantled from plant and come to workshop. We do hydro test standard FCI 70-2 as per class and the leak as per cv of valve and as per supervisor advice mark and dismantle valve and clean properly and check any damage and seat and disc or plug or gate etc if need machining send otherwise lap properly and blue mark contact and replace gasket oring packing etc and assemble and actuator service change the diaphragm and oring and do actuator leak test and valve hydro test.

- **WEIR Oil And Gas Dubai**

07/07/2019 - 02/10/2019

Valve Technician

Production for API 6A valves of sizes 2-1/8 2-1/16 3-1/8 4-1/8 etc valve body bonnet will come separately and all parts are come separately in a rolling trolley we have do first identify the number properly and split the valve body and bonnet and all parts. Then start assemble first clean assemble the guide plate and seat with gasket and fix the gate inside the body. Bonnet assembly with stem and packing and stem adapter and fit to body with gasket and do proper torque and tight and send to hydro test and collect report in graph and send to painting.

- **Al Najim Saudi International Co Ltd Saudi Arabia**

04/02/2018 - 14/05/2018

Valve Technician

To service all types of valves like gate globe check and butterfly and knife edge gate valves service and assemble with new gasket packing and do hydro test and also service actuator service and change with diaphragm and other parts.

- **L&T Valves Limited Coimbatore India**

06/06/2013 - 02/02/2018

Valve Technician

Production for API 6D valves Gate Globe Check Ball valves of size 2' to 12'. valve body and bonnet will come separately and all parts are come separately in a rolling trolley we have do first identify the number properly and split the valve body and bonnet and all parts. Then start assemble first clean and assemble the seat. Bonnet assembly with stem and packing and stem adapter and fix to body with gasket and do proper torque tight and send for hydro test and we use testing standard for API 598 collect report and send to painting.

EDUCATION

- **Diploma Electrical and Electronic Engineering**

2013

Bharath Niketan Polytechnic College Andipatti Theni

- **Government Boys Higher Secondary School Andipatti Theni**

2010

SSLC

INTERESTS

- Oil and Gas
- Power Plant
- Instrument Actuator Servicing

PERSONAL DETAILS

- Date of Birth : 01/06/1995
- Marital Status : Married
- Nationality : Indian
- Language Known : Tamil English
- Passport Number : R1498060
- Passport Valid Details : 10/07/2027

DECLARATION

- I hereby declare that the information given above is true to the best of my knowledge and belief.

Date :

Yours Faithfully

Place :

Balamurugan Sivaji



BHARATH NIKETAN POLYTECHNIC COLLEGE

Sri Gowri Nagar, Thimmarasanaickanoor,
Aundipatti - 625 536. Theni Dist.
Email : bnpcadmin@gmail.com
Ph : 04546 - 253230, 92449 19751

Approved by AICTE-New Delhi & Affiliated to
DOTE, Chennai

Course Completion Certificate

Sl.No: **98**

Reg.No. 11301046

This is to Certify that Mr./ Ms BALAMURUGAN..S.....
has completedTHREE.....years Diploma course
in ELECTRICAL AND ELECTRONICS ENGINEERING
during the period from....2010.....to2013.....He/She
has appeared for the final semester examinations held in
APRIL...2013.


Date: 13/5/2013

Office Seal :




PRINCIPAL
BHARATH NIKETAN POLYTECHNIC COLLEGE
SRI GOWRI NAGAR
THIMMARASANAICKANOOR
AUNDIPATTI, THENI DT 625 536

BHARATH NIKETAN POLYTECHNIC COLLEGE



Sri Gowri Nagar, Thimmarasanaickanoor,
AUNDIPATTY - 625 536, Theni District.

(Approved by AICTE-New Delhi, Affiliated to DOTE Chennai)

Transfer Certificate

Serial No. **97**

Reg No.: 11301046

1. Name of the student (In Block Letters) : **BALAMURUGAN. S**
2. Name of the Father / Mother / Guardian : **Shivaji**
3. a) Nationality, Religion and Caste : **Indian - Hindu - kammalar**
b) Whether the student belongs to OC / BC / MBC / DNC / SC / ST : **BC**
4. Date of birth (in words) as entered in the admission register : **01.06.1995 / zeroone - zero six - one nine nine fi**
5. Date of admission : **14.09.2010**
6. Class in which the student was studying at the time of leaving : **Final year Dip in EEE**
7. Whether qualified for promotion : **Refer Mark sheet**
8. Whether the student has paid all the fees due to the college : **Yes**
9. Whether the student has undergone medical inspection during the year : **Yes**
10. Conduct and character of the student : **Good**
11. Date on which the student actually left the college : **18.04.2013**
2. Date on which the application for Transfer Certificate was made : **17.06.2013**

ate : **19.06.13**

cal :



Principal 18/06/2013

PRINCIPAL
BHARATH NIKETAN POLYTECHNIC COLLEGE
SRI GOWRI NAGAR
THIMMARASANAICKANOOR

REGISTER NO.: 11301046

SERIAL NO. AC 0488242

GOVERNMENT OF TAMIL NADU
STATE BOARD OF TECHNICAL EDUCATION AND TRAINING
DEPARTMENT OF TECHNICAL EDUCATION, CHENNAI - 600 025.

PROVISIONAL CERTIFICATE

This is to certify that

BALAMURUGAN S



having passed in SECOND CLASS


in the final Examination held in OCTOBER 2020

is provisionally qualified for the award of Diploma in

ELECTRICAL AND ELECTRONICS ENGINEERING

Inst 860

BHARATH NIKETAN POLYTECHNIC COLLEGE
SRI GOWRI NAGAR, THIMMARASANAICKANOOR,
THENI 625536


Chairman
Board of Examinations
Tamil Nadu

11-MAR-2021

CONSOLIDATED MARKSHEET



CONSOLIDATED MARKSHEET							
Register Number 11301046		Name of Student BALAMURUGAN S		Date of Birth 01-Jun-1995			
Institution Code 860		Name & Address of the Institution BHARATH NIKETAN POLYTECHNIC COLLEGE SRI GOWRI NAGAR, THIMMARASANAICKANOOR, THENI					
Scheme K SCHEME		Discipline 1030 ELECTRICAL AND ELECTRONICS ENGINEERING (FULL TIME)					
Year/ Semester	Column Number	Subject Name	Maximum Marks	Minimum Marks for Pass	Marks Secured	Month & Year of Passing	
I	01*	COMMUNICATION ENGLISH I	100	40	57	OCT 2010	
	02*	MATHEMATICS	100	40	86	OCT 2020	
	03*	ENGINEERING PHYSICS I	100	40	47	APR 2011	
	04*	ENGINEERING CHEMISTRY I	100	40	52	OCT 2010	
II	01*	COMMUNICATION ENGLISH II	100	40	52	APR 2011	
	02*	APPLIED MATHEMATICS	100	40	52	APR 2012	
	03*	ENGINEERING PHYSICS II	100	40	48	OCT 2012	
	04*	ENGINEERING CHEMISTRY II	100	40	50	APR 2011	
	05*	ENGINEERING GRAPHICS	100	40	56	APR 2011	
	06*	PHYSICS PRACTICAL	100	50	60	APR 2011	
	07*	CHEMISTRY PRACTICAL	100	50	69	APR 2011	
	08*	COMPUTER APPLICATION	100	50	85	APR 2011	
	09*	WORKSHOP PRACTICE	100	50	79	APR 2011	
III	01	ELECTRICAL CIRCUIT THEORY	100	40	63	APR 2014	
	02	ELECTRICAL MACHINES I	100	40	49	OCT 2011	
	03	ELECTRONIC DEVICES AND CIRCUITS	100	40	49	APR 2014	
	04	ELECTRICAL CIRCUITS AND MACHINES PRACTICAL	100	50	94	OCT 2011	
	05	ELECTRONIC DEVICES AND CIRCUITS PRACTICAL	100	50	89	OCT 2011	
	06	WORKSHOP PRACTICAL	100	50	78	OCT 2011	
IV	01	ELECTRICAL MACHINES II	100	40	51	APR 2012	
	02	MEASUREMENTS AND INSTRUMENTATION	100	40	73	APR 2012	
	03	ANALOG AND DIGITAL ELECTRONICS	100	40	53	APR 2012	
	04	ENGLISH COMMUNICATION PRACTICAL	100	50	94	APR 2012	
	05	ELECTRICAL MACHINES AND INSTRUMENTATION PRACTICAL	100	50	92	APR 2012	
	06	ANALOG AND DIGITAL ELECTRONICS PRACTICAL	100	50	63	APR 2012	
V	01	POWER SYSTEM I	100	40	57	OCT 2013	
	02	MICROPROCESSOR AND MICROCONTROLLER	100	40	57	OCT 2012	
	03	ET1-CONTROL OF ELECTRICAL MACHINES	100	40	55	OCT 2012	
	04	ELECTRICAL WIRING AND WINDING PRACTICAL	100	50	97	OCT 2012	
	05	MICROPROCESSOR AND MICROCONTROLLER PRACTICAL	100	50	86	OCT 2012	
	06	EP-CONTROL OF ELECTRICAL MACHINES PRACTICAL	100	50	94	OCT 2012	
VI	01	POWER SYSTEM II	100	40	57	APR 2013	
	02	ELECTRICAL ESTIMATION	100	40	44	OCT 2013	
	03	ET2-POWER ELECTRONICS	100	40	78	OCT 2020	
	04	COMPUTER AIDED ELECTRICAL DRAWING PRACTICAL	100	50	94	APR 2013	
	05	EP-POWER ELECTRONICS PRACTICAL	100	50	84	APR 2013	
	06	PROJECT WORK, ENTREPRENEURSHIP ENVIRONMENT & DISASTER MNGMT.	100	50	81	APR 2013	
Duration of the Course: 3 Years Aggregate Total (for Class Calculation): 1732 / 2400							
percentage		72 %	Class		SECOND CLASS		

Marks in these subject(s) are not included for computation of aggregate total and award of class
Overall Total (of all Semesters): 2525 / 3700

DATE : 11-MAR-2021

CHAIRMAN
BOARD OF EXAMINATIONS



Feb 02 2018

This is to certify that Mr. Balamurugan, ID No 20186 is an employee of our organization in Shubham contract labour since June 06 2013 to Feb 02 2018, designed at Technical Assistant.

He was responsible for preparation of job card's. Consolidated Pressure Manual Valves LPGGC Division, he was also handling Mechanical Valve and technical activities.

He possesses good product knowledge, and communication skills.

He leaves our organization for better prospect.

We wish him all success.

For LGGC DEPARTMENT

A handwritten signature in blue ink, appearing to read 'K. Kumaraguru' with the date '02/18' written below it.

K. KUMARAGURU.

Department in charge.

WD4 Malumichampatti, Campus Chettipalayam road Eachanari
Coimbatore 641021 www.lntvalves.com ContactUs@Lntvalves.com

Fax no: 022-67525893 Tel no:0422-67525656.



Oil & Gas

Center of Engineering and
Manufacturing Excellence
(CEME)
Weir Engineering Services Co
P O Box 11419
Jebel Ali Free Zone
Dubai
United Arab Emirates

T +971(0)4 8080000
F +971(0)4 8838595
www.global.weir

October 02, 2019

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **Mr. Balamurugan Sivaji** holder of Indian Passport No. R1498060 was temporary employed by us as **Valve Technician** from 07th of July to 02nd October 2019.

During this period he executed jobs assigned to him to the best of his ability and as per satisfaction of the management.

This certificate is issued at the request of Mr. Balamurugan Sivaji for whatever legal purpose it may serve. This certificate is issued without any liability on the part of the company or any of its authorized signatories.

We wish him the very best in all his future endeavors.

Sincerely,
WEIR OIL & GAS SERVICES



Natasha Mary Rodrigues
HR & Admin Supervisor

WEIR



Balamurugan Sivaji

ShopTrak ID: 1903052



Temporary Access Card

Card No. : TAC2166752



Name : Balamurugan Sivaji

Nationality : India

Company : Weir Engineering Services Compan

Card validity until - 06-OCT-2019

**THE VALIDITY OF THIS PASS IS
SUBJECT TO COMPLIANCE WITH
JEBEL ALI FREE ZONE
RULES AND REGULATIONS**

Operations Department

Jebel Ali

P.O. Box. 16888 - UAE. Tel: 800 JAFZA
NOT VALID OUTSIDE JEBEL ALI FREE ZONE

Safety Training Card - Si. No. 312514

जारी करने की तारीख Date of Issue	वैधता की तारीख Valid up to	नाम जारी करने वाले अधिकारी को हस्ताक्षर Sign of Issuing Authority CISF
06/12/2019	03/03/2020	
INSPECTOR I/C PASS SECTION CISF UNIT ICL MATHURA		
ASSIST COMMANDANT C.I.S.F. Mathura Refinery MATHURA		

Code No.	Date	Sign
Code No.	Date	Sign
Code No.	Date	Sign

Pass No. 32990

Name BALAMURUGAN SIVAJI

Father's Name KULLAPURAN

Place of Work BATTERY AREA

Name of Contractor EMERSON PROCESS MANAGEMENT CHENNAI PVT LTD

WO No. 26165610

WO End Date 30/05/2020

C&A Status YES

C&A End Date

Pass Creation Date 05/12/2019

Pass Status CREATED



[illegible]

07.01.2020

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Mr. Balamurugan Sivaji was temporary employed by us as Control Valve Technician from 05th of December 2019 to 07th January 2020.

During this period he executed jobs assigned to him to the best his ability and as per satisfaction of the management.

This certificate is issued at the request of Mr. Balamurugan Sivaji for whatever legal purpose it may serve. This certificate is issued without any liability on the part of the company or any of its authorized signatories.

We wish him the very best in all his future endeavors.

Thank you


Shankar S

General Manager





ادنوك للغاز الحامض
ADNOC Sour Gas



APPRECIATION CERTIFICATE




Balamurugan Sivaji

In recognition of

**YOUR CONTRIBUTION AND SUPPORT IN VALVE ACTIVITIES DURING GAS
PLANT SHUTDOWN 2021.**

KHALFAN

KHALFAN AHMED AL SHARJI
TEAM LEADER, WORKSHOP

16	Contractor	Emerson Process Management Chennai Pvt
	Work Order	4008695
	Aadhaar No.	7891 6657 7859
	Name	Balamurugan Sivaji
	Father's Name	Sivaji R
	Inter State Worker	YES
	Address	23HC,KULLAPU RAM,ANDEPAT TI,THENI,Dist: Theni,Tamilna du
	Designation	Valve Technician
	DOB	6/1/1995
	ESI No./ Insurance No.	S403904023
	UAN NO. (EPF)	101522412242
	RTPC test (-ve) (Yes)	YES
	Vaccination (1st/2nd)Covish Reg No.	36/5186041090 
	Dept./sec. Clearance Yes/ No	YES
	Medical Clearance Yes/No	Yes
	Safety Training Yes/ No	YES
	HR Clearan ce	YES
	Photograph	



Ministry of Health & Family Welfare
Government of India

Certificate for COVID-19 Vaccination

Fully Vaccinated : 2nd Dose

Beneficiary Details

Beneficiary Name / பலனாளியின் பெயர்	Balamurugan Sivaji
Age / வயது	26
Gender / பாலினம்	Male
ID Verified / அடையாளச் சான்று	Passport # R1498060
Unique Health ID (UHID)	64-6021-6471-7817
Beneficiary Reference ID	36451060441090

Vaccination Details

Vaccine Name / தடுப்பூசியின் பெயர்	COVISHIELD
Date of 1 st Dose / முதல் டோஸின் தேதி	29 May 2021 (Batch no. 4121Z073)
Date of 2 nd Dose / இரண்டாவது டோஸின் தேதி	04 Sep 2021 (Batch no. 4121Z203)
Vaccinated by / தடுப்பூசியை வழங்கியவர்	Kalaiselvi
Vaccination at / தடுப்பூசி வழங்கப்பட்ட இடம்	M Subbulapuram BPHC, Theni, Tamil Nadu




“மருந்து மற்றும்
மனவறுதியுடன்
Together, India will defeat
COVID-19”

- பிரதம மந்திரி நரேந்திர மோதி

In case of any adverse events, kindly contact the nearest Public Health Center/
Healthcare Worker/District Immunization Officer/State Helpline No. 1075

ஏதேனும் எதிர்மறை விளைவுகள் ஏற்பட்டால், தயவு செய்து அருகாமையிலுள்ள பொது
சுகாதார மையம் / ஆரோக்கியப் பராமரிப்புப் பணியாளர் / மாவட்ட தடுப்பூசி அலுவலர் /
மாநில உதவி எண். 1075ஐ தொடர்பு கொள்ளவும்.

COWIN
Winning Over COVID



This certificate can be verified by scanning the QR code at
<http://verify.cowin.gov.in>



RESEARCH / OBSERVATION

